

**Foltabs™ PRENATAL**  
Rx Only 90 Tablets

**DESCRIPTION:** Foltabs™ Prenatal is a scored white oval multivitamin/multimineral tablet. The tablet is debossed with "ML 160" on the scored side and plain on the other.

Each tablet contains:

Vitamin C (Ascorbic acid) .....	120 mg
Calcium (Calcium citrate) .....	125 mg
Iron (Carbonyl iron, Ferrous gluconate) .....	27 mg
Vitamin D3 (Cholecalciferol) .....	400 IU
Vitamin E (dl-alpha tocopheryl acetate) .....	30 IU
Thiamin (Vitamin B1) .....	3 mg
Riboflavin (Vitamin B2) .....	3.4 mg
Niacinamide (Vitamin B3) .....	20 mg
Vitamin B6 (Pyridoxine HCl) .....	20 mg
Folic Acid .....	1 mg
Iodine (Potassium iodide) .....	150 mcg
Zinc (Zinc oxide) .....	25 mg
Copper (Cupric sulfate) .....	2 mg
Docusate Sodium .....	50 mg

**INACTIVE INGREDIENTS:** Microcrystalline cellulose, povidone, croscarmellose sodium, stearic acid, silicon dioxide, magnesium stearate, hypromellose, titanium dioxide, polyethylene glycol, hydroxypropyl cellulose, sodium citrate, polysorbate 80.

**INDICATIONS:** Foltabs™ Prenatal is a multivitamin/multimineral prescription drug indicated for the use in improving the nutritional status of women prior to conception, throughout pregnancy, and in the postnatal period for both lactating and nonlactating mothers.

**CONTRAINDICATIONS:** This product is contraindicated in patients with a known hypersensitivity to any of the ingredients.

**WARNING:** Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B12 is deficient.

**NOTICE:** Contact with moisture can produce surface discoloration or erosion of the tablet.

**PRECAUTIONS:** Folic acid in doses above 0.1 mg may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

**WARNING:** Accidental overdose of **iron-containing** products is a leading cause of fatal poisoning in children under the age of 6. **KEEP THIS PRODUCT OUT OF THE REACH OF CHILDREN.** In case of accidental overdose, call a doctor or poison control center immediately.

**ADVERSE REACTIONS:** Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

**DOSAGE AND ADMINISTRATION:** One tablet daily or as directed by a physician.

**DISPENSE IN A TIGHT, LIGHT RESISTANT CONTAINER AS DEFINED BY THE USP/NF WITH A CHILD RESISTANT CLOSURE.** Store at controlled room temperature 20°-25°C (68°-77°F). Excursions permitted to 15°-30°C (59°-86°F). [See current USP].

NDC 68308-165-90  
Manufactured for:

 **Midlothian**  
LABORATORIES  
Montgomery, AL 36116  
www.midlothianlabs.com



NDC 68308-165-90

90 Tablets

# Foltabs™ Prenatal Tablets

**Dual Iron with Calcium Citrate  
Multivitamins and Minerals**

**Rx Only**

 **Midlothian**  
LABORATORIES

Rev. 10/08

Lot No.:  
Exp. Date: